

About Us

White Placard was created simply because of the realization and conviction that technology is the future and affordable technology is indeed the future. We invested, researched and developed a profound skill base in Embedded Systems that has become our trademark and given us the platform to grow and expand.

The quality and the cost of our products are already established in the market. We have grown wide and deep very quickly in terms of technology, clientele and organization size. Please browse through our pages for a quick overview of products. We are in process of expanding our base to USA and Germany.



Electricity Is Now Intelligent





**Head Office: CP-147, Pitampura,
Ground Floor, New Delhi
Zonal Office (East): Near P.H.E.D. Water
Hill Tank, Bariatu Road, Ranchi-834009.**

**Phone: 011- 27325179, 0651-3248366
Fax: 011- 27325179
E-mail: info@whiteplacard.com**

White Placard Technologies

Technology and Trust...



**LED Lighting Solutions
Product Brochure**

www.whiteplacard.com



LED STREET LIGHT— WPSLED-20

LED STREET LIGHT— WPSLED-30

LED STREET LIGHT— WPSLED-11



PART NAME/ORDER CODE:WPSLED-20

PART NAME/ORDER CODE:WPSLED-30

PART NAME/ORDER CODE:WPSLED-11

Size:295mm * 95mm * 35mm
Weight :1.4 Kg
Color: Grey/Black
Pole Mounting: Standard
LEDs: 140 Lumen/Watt
Wattage : 20 W
Lens Angle : 60 Degrees
Number of LEDs: 20*1 W or 10*2 W

Size:425mm * 210mm * 50mm
Color: Galaxy Grey/Beige
Pole Mounting: Standard
LEDs:140 Lumen/Watt
Wattage : 30 W
Lens Angle: 60 Degrees
Number of LEDs: 30*1 W or 15*2 W or 10*3 W

Size:295mm * 95mm * 35mm
Weight :1.4 Kg
Color: Grey/Black
Pole Mounting: Standard
LEDs: 140 Lumen/Watt
Wattage : 11 W
Lens Angle : 60 Degrees



LED STREET LIGHT— WPSLED-36



LED STREET LIGHT— WPSLED-45



LED STREET LIGHT— WPSLED-40PDC



PART NAME/ORDER CODE:
WPSLED 40PDC

PART NAME/ORDER CODE:WPSLED-45

PART NAME/ORDER CODE:WPSLED-36

Size:260mm * 170mm *

Size:425mm * 210mm *

Size:425mm * 210mm *

50mm

50mm

Weight :2.2 Kg

Weight :2.2 Kg

Color: Beige

Color: Beige

Pole Mounting: Standard

Pole Mounting: Standard

LEDs: 140 Lumen/Watt

LEDs: 140 Lumen/Watt

Wattage : 36 W

Wattage : 45 W

No. of LEDs: 36*1 W or 18*2

No. of LEDs: 45*1 W or 15*3

W or 12*3 W

W

Lens Angle : 60 Degrees

Lens Angle : 60 Degrees

40mm

Weight :1.7 Kg

Color: Black/Grey

Pole Mounting: Standard

LEDs: 140 Lumen/Watt

Wattage : 40 W PDC

No. of LEDs: 40*1 W or 20*2

W or 13*3 W

Lens Angle : 60 Degrees



LED STREET LIGHT— WPSLED-40PP



PART NAME/ORDER CODE:WPSLED-40PP

Parallel Model In 40 W PDC
Size:270mm * 235mm * 40mm
Weight :2.7 Kg
Color: Black/Grey
Pole Mounting: Standard
LEDs: 140 Lumen/Watt
Wattage : 40 W
No. of LEDs: 40*1 W or 20*2 W or 13*3 W
Lens Angle : 60 Degrees

LED STREET LIGHT— WPSLED-56



PART NAME/ORDER CODE:WPSLED-56

Size:390mm * 180mm * 55mm
Weight :2.9 Kg
Color: Black/Grey
Pole Mounting: Standard
LEDs: 140 Lumen/Watt
Wattage : 56 W
No. of LEDs: 28*2 W or 18*3 W
Lens Angle : 60 Degrees

LED STREET LIGHT— WPSLED-90



PART NAME/ORDER CODE: WPSLED-90

Size:580mm * 290mm * 50mm
Weight :7.0 Kg
Color: Galaxy Grey
Pole Mounting: Standard
LEDs: 140 Lumen/Watt
Wattage : 90 W
No. of LEDs: 90*1 W or 45*2 W or 30*3 W
Lens Angle : 60 Degrees



LED STREET LIGHT— WPSLED-80



PART NAME/ORDER CODE:WPSLED-80

**Size:610mm * 400mm *
125mm**
Weight :9.0 Kg
Color: Galaxy Grey
Pole Mounting: Standard
LEDs: 140 Lumen/Watt
Wattage : 80 W
**No. of LEDs: 80*1 W or 40*2
W**
Lens Angle : 60 Degrees

LED STREET LIGHT— WPSLED-100



PART NAME/ORDER CODE:WPSLED-100

**Size:610mm * 400mm *
125mm**
Weight :9.0 Kg
Color: Galaxy Grey
Pole Mounting: Standard
LEDs: 140 Lumen/Watt
Wattage : 100 W
**No. of LEDs: 99*1 W or 33*3
W**
Lens Angle : 60 Degrees



**Full customized production of
LED Street Lights is also
available in different LED
makes.**

**For more details or enquiries
about our products, log on to
www.whiteplacard.com**

**Email:
info@whiteplacard.com
Contacts: 06513248366.**



LED FLOOD LIGHT— WPFLED-42



PART NAME/ORDER CODE:WPFLED-42

Size:180mm * 143mm

Color: Steel Grey

Color Temperature : 6000K

Pole Mounting: Standard

LEDs: 140 Lumen/Watt

Wattage : 42 W

Power Factor : 0.9

THD<10%

IP65 Weather Proofing

Power Supply : In-Built

Lens Angle : 60 Degrees

LED FLOOD LIGHT— WPFLED-30



PART NAME/ORDER CODE:WPFLED-30

Size:180mm * 143mm

Color: Steel Grey

Color Temperature : 6000K

Pole Mounting: Standard

LEDs: 140 Lumen/Watt

Wattage : 30 W

Power Factor : 0.9

THD<10%

IP65 Weather Proofing

Power Supply : In-Built

Lens Angle : 60 Degrees

LED FLOOD LIGHT— WPFLED-60



PART NAME/ORDER CODE: WPFLED-60

Size:180mm * 143mm

Color: Steel Grey

Color Temperature : 6000K

Pole Mounting: Standard

LEDs: 140 Lumen/Watt

Wattage : 60 W

Power Factor : 0.9

THD<10%

IP65 Weather Proofing

Power Supply : In-Built

Lens Angle : 60 Degrees



LED FLOOD LIGHT— WPFLED-150

PART NAME/ORDER CODE:WPFLED-150



Size:485mm * 205mm * 70mm

No. of LEDs : 100

Working Volt Range : 90V to 270V AC

Frequency Range : 47~60 Hz

Power Consumption : 100 Wt.

Approx. Lumens Output : >6000

Color Temperature :

3000~6500K(optional)

Beam Angle as per application

CRI : >70 Ra

Application Efficiency : 100%

Operating Temp. : -20Â°C to 60Â°C

Working Humidity : <95%

Life Span : 75000 Hrs. Approx.

Power Factor : >0.90

Power Efficiency : >80%

THD : <20%

Body Material : Aluminum Dye Cast

IP Rating : IP 65

Commanding height: 8 meters.

Weight : 5.25 Kg

Mounting : Hanging , Resting

**Applications Industrial Sheds, Stages,
Heritage Buildings, Hoardings & Dis-
plays etc.**

LEDs: 140 Lumen/Watt

Flux Lux : 50 Lux/8

Color: Steel Grey

Pole Mounting: Standard

Wattage : 150 W

Power Supply : In-Built

**Lens Angle : Beam Angle as Per Appli-
cation**

**Price For Less Than 200 Nos.: On Re-
quest**

**Lead Time: 15 Days After 100% Ad-
vance Payment**





LED DOWNLIGHTER— WPDLLD-1


LED DOWNLIGHTER— WPDLLD-3

LED DOWNLIGHTER— WPDLLD-7

PART NAME/ORDER CODE:WPDLLD-1

PART NAME/ORDER CODE:WPDLLD-3

PART NAME/ORDER CODE:WPDLLD-7



Emitting Color: Yellow, White, Warm White, Red, Blue, Green
Operating Voltage: 220V AC
Wattage : 1W
LED Quantity : 1
Viewing Angle : 15° - 120°
Size : φ 52 Round
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

Emitting Color: Yellow, White, Warm White, Red, Blue, Green
Operating Voltage: 220V AC
Wattage : 3W
LED Quantity : 3(1 x 3)
Viewing Angle : 15° - 120°
Size : φ 85 Round 50 * 24
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

Emitting Color: Yellow, White, Warm White, Red, Blue, Green
Operating Voltage: 220V AC
Wattage : 7W
LED Quantity : 7(1 x 7)
Viewing Angle : 15° - 120°
Size : φ 85 Round 60 * 50
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment



LED DOWNLIGHTER— WPDLLLED-9

LED DOWNLIGHTER— WPDLLLED-12

LED DOWNLIGHTER— WPDLLLED-15

PART NAME/ORDER CODE:WPDLLLED-9

PART NAME/ORDER CODE:WPDLLLED-12

PART NAME/ORDER CODE:WPDLLLED-15



Emitting Color: Yellow, White, Warm White, Red, Blue, Green
Operating Voltage: 220V AC
Wattage : 9W
LED Quantity : 9(1 x 9)
Viewing Angle : 15° - 120°
Size : φ 135 Round 90 * 50
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

Emitting Color: Yellow, White, Warm White, Red, Blue, Green
Operating Voltage: 220V AC
Wattage : 12W
LED Quantity : 12(1 x 12)
Viewing Angle : 15° - 120°
Size : φ 135 Round 90 * 50
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

Emitting Color: Yellow, White, Warm White, Red, Blue, Green
Operating Voltage: 220V AC
Wattage : 15W
LED Quantity : 15(1 x 15)
Viewing Angle : 15° - 120°
Size : φ 144 Round 90 * 100
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment



LED DOWNLIGHTER— WPDLLD-10

LED DOWNLIGHTER— WPDLLD-6

LED DOWNLIGHTER— WPDLLD-3*3

PART NAME/ORDER CODE:WPDLLD-10

PART NAME/ORDER CODE:WPDLLD-6

PART NAME/ORDER CODE:WPDLLD-3*3



Emitting Color: Yellow, White, Warm White, Red, Blue, Green
Operating Voltage: 220V AC
Wattage : 10W
LED Quantity : 1(10 x 1)
Viewing Angle : 120°
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

Emitting Color: Yellow, White, Warm White, Red, Blue, Green
Operating Voltage: 220V AC
Wattage : 6W
LED Quantity : 6(1 x 6)
Viewing Angle : 15° - 120°
Size : φ 135 Round 90 * 50
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

Emitting Color: Yellow, White, Warm White, Red, Blue, Green
Operating Voltage: 220V AC
Wattage : 9W
LED Quantity : 9(3 x 3)
Viewing Angle : 15° - 120°
Size : φ 144 Round 90 * 100
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment



LED WALL WASHER— WPLWWLED-936

LED DOWNLIGHTER— WPRWWLED-60

PART NAME/ORDER CODE:WPLWWLED-936

PART NAME/ORDER CODE:WPRWWLED-60



Size:1 Foot—4 Feet (Linear)
 Emitting Color : White, Warm White,
 Blue, Red, Green, Amber, RGB
 LEDs: 100 Lumen/Watt
 Wattage : 9W—36W
 No. of LEDs: 9-36(Per Feet 9)
 Viewing Angle : 60 Degrees
 Price For Less Than 200 Nos.: On Request
 Lead Time: 15 Days After 100% Advance Payment

Emitting Color : White, Warm White,
 Blue, Red, Green, Amber, RGB
 LEDs: 140 Lumen/Watt
 Wattage : 10W—150W
 Price: On Request
 Customization Available*

*On Order Only

Full customization of LED Wall Washers is available and can be manufactured on request.

Wall Washers are capable of replacing 400W— 2000W Halogen and Metal Halogen lights by LED Lighting solutions that consume less than 10 times power of the traditional lights used for wall washing.

For more queries, send us an email to info@whiteplacard.com

You may call our 24 hour help line - 0651-3248366 for more queries.

Log Onto www.whiteplacard.com for more details.



LED SMD FLEXIBLE STRIP



**Emitting Color : White, Warm White,
Blue, Red, Green**
Operating Voltage : 12V DC
Wattage : 4.8W/meter
Size: 5mm x 8mm
Chip Size : 3538
SMD Quantity : 60
Viewing Angle : 120°


LED SMD FLEXIBLE STRIP



**Emitting Color : White, Warm White,
Blue, Red, Green, Amber, RGB**
Operating Voltage : 12V DC
Wattage : 8W/meter
Size: 5mm x 10mm
Chip Size : 5050
SMD Quantity : 30
Viewing Angle : 120°

**The option of having Water-
proof Lights for outdoor use is
also available that would be
silicon Coated.**

LED SMD FLEXIBLE STRIP



**Emitting Color : White, Warm White,
Blue, Red, Green**
Operating Voltage : 12V DC
Wattage : 8W/meter
Size: 5mm x 10mm
Chip Size : 5050
SMD Quantity : 30
Viewing Angle : 120°

**The option of having Water-
proof Lights for outdoor use is
also available that would be
silicon/epoxy Coated.**



LED RECESSED LIGHT-WPRLL-1

LED RECESSED LIGHT-WPRLL-3

LED RECESSED LIGHT-WPRMLL-3



PART NAME/ORDER CODE:WPRLL-1

PART NAME/ORDER CODE:WPRLL-3

PART NAME/ORDER CODE:WPRMLL-3

Emitting Color : White, Warm White, Blue, Red, Green

LEDs: 140 Lumen/Watt

Operating Voltage: 12V DC/220V AC

Wattage : 1W/Meter

No. of LEDs: 1(SMD)

Viewing Angle : 15°- 60°

Price For Less Than 200 Nos.: On Request

Lead Time: 15 Days After 100% Advance Payment

Emitting Color : White, Warm White, Blue, Red, Green

LEDs: 140 Lumen/Watt

Operating Voltage: 12V DC/220V AC

Wattage : 3W/Meter

No. of LEDs: 3(1 X 3)(SMD)

Viewing Angle : 15°- 45°

Price For Less Than 200 Nos.: On Request

Lead Time: 15 Days After 100% Advance Payment

Emitting Color : White, Warm White, Blue, Red, Green

LEDs: 140 Lumen/Watt

Operating Voltage: 12V DC/220V AC

Wattage : 3W/Meter

No. of LEDs: 3(1 X 3)(SMD)

Viewing Angle : 15°- 45°

Price For Less Than 200 Nos.: On Request

Lead Time: 15 Days After 100% Advance Payment



LED RECESSED LIGHT-WPRL-5



PART NAME/ORDER CODE:WPRL-5

**Emitting Color : White, Warm White,
LEDs: 140 Lumen/Watt
Operating Voltage: 12V DC/220V AC
Wattage : 5W/Meter
No. of LEDs: 5(1 X 5)(SMD)
Viewing Angle : 15°- 45°
Price For Less Than 200 Nos.: On Re-
quest
Lead Time: 15 Days After 100% Ad-
vance Payment**

LED RECESSED LIGHT-WPRL-9



PART NAME/ORDER CODE:WPRL-3

**Emitting Color : White, Warm White,
Blue, Red, Green
LEDs: 140 Lumen/Watt
Operating Voltage: 12V DC/220V AC
Wattage : 9W/Meter
No. of LEDs: 3(3 X 3)(SMD)
Viewing Angle : 15°- 45°
Price For Less Than 200 Nos.: On Re-
quest
Lead Time: 15 Days After 100% Ad-
vance Payment**

Customized options are available for 5w, 7w, 9w, single or multiple LEDs as we also under take projects for custom made LED Lights. The holder type can also be chosen from B-22 to MR-16 etc.

For more queries, send us an email to info@whiteplacard.com

You may call our 24 hour help line - 0651-3248366 for more queries.

Log Onto www.whiteplacard.com for more details.



LED TUBE LIGHT-WPTL-19



PART NAME/ORDER CODE:WPTL-19

Emitting Color : Cool White, Warm White, Day Light
Operating Voltage: 220V AC
Wattage : 19W
Length : 4 Feet- T8
Viewing Angle : 180°
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

LED TUBE LIGHT-WPTL-9



PART NAME/ORDER CODE:WPTL-9

Emitting Color : Cool White, Warm White, Day Light
Operating Voltage: 220V AC
Wattage : 9W
Length : 2 Feet- T8
Viewing Angle : 180°
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

Customized options are available for 5w, 7w, 9w, single or multiple LEDs as we also under take projects for custom made LED Tube Lights. The holder type can also be chosen.

For more queries, send us an email to info@whiteplacard.com

You may call our 24 hour help line - 0651-3248366 for more queries.

Log Onto www.whiteplacard.com for more details.



LED TRACK LIGHT-WPTKL-3



PART NAME/ORDER CODE:WPTKL-3

Emitting Color : Cool White, Warm White,
Operating Voltage: 220V AC
Wattage : 3W
Viewing Angle : 15°-60°
LED Quantity : 3(1 x 3)
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

LED TUBE LIGHT-WPTKL-20



PART NAME/ORDER CODE:WPTKL-20

Emitting Color : Cool White, Warm White,
Operating Voltage: 220V AC
Wattage : 20W
Viewing Angle : 60°
LED Quantity : 1(20 x 1)
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

Customized options are available for 5w, 7w, 9w, single or multiple LEDs as we also under take projects for custom made LED Track Lights.

For more queries, send us an email to info@whiteplacard.com

You may call our 24 hour help line - 0651-3248366 for more queries.

Log Onto www.whiteplacard.com for more details.



LED BULB-WPLB-3

LED BULB-WPLB-5

LED BULB-WPLB-6



PART NAME/ORDER CODE:WPLB-3

PART NAME/ORDER CODE:WPLB-5

PART NAME/ORDER CODE:WPLB-6

Emitting Color : Yellow, White, Warm White,
Operating Voltage: 220V AC
Wattage : 3W
Viewing Angle : 180°
LED Quantity : 3(1 x 3)
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

Emitting Color : Yellow, White, Warm White,
Operating Voltage: 220V AC
Wattage : 5W
Viewing Angle : 180°
LED Quantity : 5(1 x 5)
Holder Type : E27/B22
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

Emitting Color : Yellow, White, Warm White,
Operating Voltage: 220V AC
Wattage : 6W
Viewing Angle : 180°
LED Quantity : 6(1 x 6)
Holder Type : E27/B22
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment



LED BULB-WPLB-7



PART NAME/ORDER CODE:WPLB-7

Emitting Color : Yellow, White, Warm White,

Operating Voltage: 220V AC

Wattage : 7W

Viewing Angle : 180°

LED Quantity : 7(1 x 7)

Price For Less Than 200 Nos.: On Request

Lead Time: 15 Days After 100% Advance Payment

Customization is also available in this light varying form SMD LED , Super flux 5mm etc. The Number & Color of LED can also be chosen.

For more queries, send us an email to info@whiteplacard.com You may call our 24 hour help line - 0651-3248366 for more queries.

Log Onto www.whiteplacard.com for more details.



LED UNDER WATER LIGHT WPUWB-1



PART NAME/ORDER CODE:WPUWB-1

Emitting Color : Yellow, Cool White, Warm White, Red, Green, Blue, Amber, RGB
Operating Voltage: 220V AC/ 12V DC
Wattage : 1W
Viewing Angle : 15° - 60°
LED Quantity : 1(1 x 1)
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

LED UNDER WATER LIGHT WPUWB-3



PART NAME/ORDER CODE:WPUWB-3

Emitting Color : Yellow, Cool White, Warm White, Red, Green, Blue, Amber, RGB
Operating Voltage: 220V AC/ 12V DC
Wattage : 3W
Viewing Angle : 15° - 60°
LED Quantity : 3(1 x 3)
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment

LED UNDER WATER LIGHT WPUWB-3S



PART NAME/ORDER CODE:WPUWB-3S

(Customized For Surface)
Emitting Color : Yellow, Cool White, Warm White, Red, Green, Blue, Amber, RGB
Operating Voltage: 220V AC/ 12V DC
Wattage : 3W
Viewing Angle : 15° - 60°
LED Quantity : 3(1 x 3)
Price For Less Than 200 Nos.: On Request
Lead Time: 15 Days After 100% Advance Payment



LED POWER STRIP LIGHT- WPPSLL-7



PART NAME/ORDER CODE:WPPSLL-7

**Emitting Color : Yellow, Cool White,
Warm White, Red, Green, Blue, Amber,
RGB**

Operating Voltage: 220V AC

Wattage : 7W

Viewing Angle : 140°

LED Quantity : 7(1 x 7)

**Price For Less Than 200 Nos.: On Re-
quest**

**Lead Time: 15 Days After 100% Ad-
vance Payment**

**For more queries, send us an email to
info@whiteplacard.com**

**You may call our 24 hour help line - 0651-
3248366 for more queries.**

**Log Onto www.whiteplacard.com for more
details.**



LED DRIVER – WPLDR-1



Input : 220V
Output : 4V— 51V
Current Output : 350 mA—700 mA
Price: On Request
MOQ On These Prices: 200
Lead Time: 5 Days After 100% Advance Payment
Customization of drivers can also be done according to the client needs.

LED DRIVER – WPLCRGB-6



PART NAME/ORDER CODE:WPLCRGB-6
Operating Voltage : 2A/Channel
Current Load : 12V DC
Controls : Infra Red
MOQ On These Prices: 200
Lead Time: 5 Days After 100% Advance Payment
Customization of controllers can also be done according to the client needs.

LED DRIVER – WPLCRGB-20



PART NAME/ORDER CODE:WPLCRGB-20
Operating Voltage : 6A/Channel
Current Load : 12V DC
Controls : Radio Frequency
MOQ On These Prices: 200
Lead Time: 5 Days After 100% Advance Payment
Customization of controllers can also be done according to the client needs.



LED DRIVER – WPLCRGB-20(I)



PART NAME/ORDER CODE:WPLCRGB-20(I)

Intelligent Model

Operating Voltage :12V DC

Current Load : 6A/Channel

Controls : Radio Frequency

Lead Time: 5 Days After 100% Advance Payment

Customization of controllers can also be done according to the client needs.

LED DRIVER – WPLCRGBAMP-20



PART NAME/ORDER CODE:WPLCRGBAMP-20

LED RGB Light Amplifier

Operating Voltage : 12V DC

Current Load : 6A/Channel

Lead Time: 5 Days After 100% Advance Payment

Customization of controllers can also be done according to the client needs.


**For more queries,
send us an email to
info@whiteplacard.com**

**You may call our 24
hour help line - 0651-
3248366 for more
queries.**

**Log Onto
www.whiteplacard.com
for more details.**



LED FLAT LIT PANEL—WPLFLP-1*1



PART NAME/ORDER CODE:WPLFLP-1*1

Emitting Color : Cool White, Day Light,
Warm White
Operating Voltage :220V AC
Wattage : 21W
Length : 1*1 Feet, Surface Mounted
Viewing Angle : 120°
Lead Time: 5 Days After 100% Advance
Payment

LED FLAT LIT PANEL—WPLFLP-2*2



PART NAME/ORDER CODE:WPLFLP-2*2

Emitting Color : Cool White, Day Light,
Warm White
Operating Voltage :220V AC
Wattage : 45W
Length : 2*2 Feet, Surface Mounted
Viewing Angle : 120°
Lead Time: 5 Days After 100% Advance
Payment

**For more queries, send us an email to info@whiteplacard.com
You may call our 24 hour help line - 0651-3248366 for more queries.**

Log Onto www.whiteplacard.com for more details.

DISCLAIMER

WHITE PLACARD TECHNOLOGIES RESERVES THE RIGHT TO MAKE CHANGES WITHOUT FURTHER NOTICE TO ANY PRODUCTS HEREIN TO IMPROVE RELIABILITY, FUNCTION OR DESIGN. WHITE PLACARD TECHNOLOGIES DOES NOT ASSUME ANY LIABILITY ARISING OUT OF THE APPLICATION OR USE OF ANY PRODUCT OR CIRCUIT DESCRIBED HEREIN; NEITHER DOES IT CONVEY ANY LICENSE UNDER ITS PATENT RIGHTS, NOR THE RIGHTS OF OTHERS.



LIFE SUPPORT POLICY

WHITE PLACARD'S PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS WITHOUT THE EXPRESS WRITTEN APPROVAL OF THE PRESIDENT OF WHITE PLACARD TECHNOLOGIES.

As used herein:

1. Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, and (c) whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury of the user.
2. A critical component in any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

©White Placard Technologies Pvt.Ltd.® 2011
All Rights Reserved.



Electricity Is Now
Intelligent

Head Office: CP-147, Ground
Floor, Pitampura, New Delhi
Zonal Office (East) : Near
P.H.E.D. Water Hill Tank,
Bariatu Road, Ranchi-09
0651-3248366
Email: info@whiteplacard.com
www.whiteplacard.com